State of Wisconsin
Department of Natural Resources
Private Water Systems Section - DG/2
dnr.wi.gov

High Capacity, School or Wastewater Treatment Plant
_Well Approval Application

Form 3300-256 (R 7/05)

Page 1 of 6

Notice: Prior department approval is required for the construction, reconstruction or operation of a high capacity well or system of high capacity wells, a school well or a wastewater treatment plant well in accordance with Section NR 812.09(4)(a), Wisconsin Administrative Code. Personally identifiable information collected on this form, including such data as your name, address and phone number, will be used for management of department programs and is unlikely to be used for other purposes. This information will be addressable under Wisconsin's Open Records Laws, ss. 19.32 - 19.39, Wis. Stats.

Use this form to request an approval for installation of a well or wells on a high capacity property, seek approval to make other changes to a high capacity property or to modify a well on a high capacity property, as required by NR 812.09(4)(a), Wisconsin Administrative Code. Refer to definitions of high capacity well, high capacity property and high capacity well system on page 5.

This form is not intended to be used when seeking approval for construction or modification of wells serving water systems regulated under ch. NR 811, Wis. Adm. Code. Any water system serving 7 or more homes, 10 or more mobile homes, 10 or more apartments, 10 or more condominiums, or 10 or more duplexes is regulated under ch. NR 811, Wis. Adm. Code. See NR 811.01, Wis. Adm. Code for applicability requirements.

Applicant Information					
Application Prepared By (Name and Title)	4.4	Company	A		-
GREG DOMRES	V.P.		R Well Drei	lin	9 Lvc
Street Address		City		State	ZIP Code
W245 HERR RO	L	Dou	SMAN	WI	53118
Telephone Number	Fax Number	200	E-Mail Address	0	0 1 -
262) 465-2986	2623965-439	2	herrdrilling	,00	dinet. Com
Property Ownership Information			,		
Property owner, if different than applicant (Name of Person and Title)	Company			
Iom HNFAING	DWNER	42	FANG FARI	45	LLC
Street Address		City	100	State	ZIP Code
N 4589 PIONEG	R DA	Sull	, UIAN	WI	53178
Telephone Number	Fax Number		E-Mail Address		
262-593-2537					
Well Operator Information					
Well operator if different than owner (Name	e of Person and Title)	Company			
SAME AS A	BOVE				
Street Address		City		State	ZIP Code
Telephone Number	Fax Number		E-Mail Address		
Property Information					
Enter the High Canacity Well File Number be	elow if the property is already a	high capacity	property. If the property is no	t design	ated as a high capacity
property at the time of application, enter "NO	NE." NOTE: Find the file number	per in upper ric	ght hand comer of the most re	cent high	h capacity well approval,
or use the compact disk of departmental well "Location" section. File number format is as t	i data that is issued to drillers a follows: (1 or 2 digits for county	na pump insta) - (1 digit for v	well classification) - (1 to 4 dig	its for as	signed property no.).
County	Town	, , ,	High Capacity V		
NONE Jeffers	on				
Submittal Purpose	gul .				
Check all that apply:					
Install one or more new wells with a	canacity greater than 70 g	allons per m	inute		
Install one or more new wells with a	(a) (a) (a) (a)			ortv	
	MM 56	188		., cy.	
Replace one or more wells with a c				i.	
Replace one or more wells with a c	PARTICIPATION AND ADDRESS OF THE ACT ADDRESS OF THE			у.	
Reconstruct one or more wells with				4	
Reconstruct one or more wells with				эепу.	•
Increase pumping rate in one or mo					
Request continued operation of hig		nge in owner	rship. (No application fee	required	1.)
Renew a previous approval that ha	s expired.			*:	
Well (or wells) will serve a school o	r wastewater treatment plar	nt. See defin	itions on page 5.		
Other, explain					

Site	Status	Information	

Determine the site status using the internet or the compact disk of departmental well data that is issued to drillers and pump installers and the information supplied by the property owner. Internet address is dnr.wi.gov/org/water/dwg/dws.htm. Enter YES or NO for each of the following questions.

YES	NO	Has the property boundary changed since the most recent high capacity well approval was issued? If the property is not yet a high capacity property, check NO.
	À	Has there been a change in well ownership since the last approval was written? If YES, name of current owner: Date of purchase:
<u>□</u> .	网	Has there been a change in well operator since the last approval was written? If YES, name of current operator: Date of change:
	K	Will a proposed well be connected to a plumbing system that is supplied by other sources (other wells, municipal supply, etc.)? If YES, include a schematic drawing showing backflow protection.
الم	×	Is a proposed well within 1,200 feet of a landfill? Determine if there are any landfills nearby, using the well information compact disk FIND feature. Enter the township, range and section of the well location. If the well is near a section line, also check the adjacent section or sections. If YES, list the landfill site ID Number: OR Landfill location: (Township/Range/Section)
	ÌXÌ	Is a proposed well on a property that has a contaminated site? If YES, list the BRRTS (Bureau for Remediation and Redevelopment Tracking System) Number here and specify if the site is open or closed:
	X	Is a proposed well on a property that has a groundwater use restriction recorded on the deed? If YES, list the BRRTS number, as assigned to the contaminated site by the DNR remediation and redevelopment program:
	X	Is a proposed well on a property that is listed on the department's registry of closed remediation sites for a groundwater use restriction? See compact disk or internet at maps.dnr.state.wi.us/imf/dnrimf.jsp?site=brrts . If YES, list the BRRTS Number here:
	Ż	Is a proposed well to be used for a public water supply system that serves 25 or more people? See definition of a "public water system" in the definitions section on page 5.
	X	Is a proposed well to be installed within a special casing area? Refer to the list of special casing areas that is published by the department and/or contact the regional DNR office.
	Ø	Has the number of wells or pumping capacity in an existing well increased since the most recent high capacity well approval was issued?
	X	Has the number of wells decreased since the most recent high capacity well approval? If the property is not yet a high capacity property, check NO.
	X	Is a non-pressurized storage vessel (i.e. reservoir) other than a pond proposed or in use?
	X	Will the well discharge directly to a storage pond?
	X	Is a pressurized tank with a capacity greater than 1,000 gallons proposed or in use?
	X	Is a proposed well within 1,200 feet of a quarry?
	M	Is a proposed well located in a floodplain or floodway?
	Ø	Are any existing well installations on the high capacity property out of compliance with Chapter NR 812, Wisconsin Administrative Code?
	X	Will the well be used as a source of bottled water?
\Box	X	Are you seeking a variance to construct a well that has a capacity of less than 70 gallons per minute to low capacity well construction standards?
	A	Is the property served by a community water system?

n all existing	wells on the	property, if m	ore than fou	r wells, submi	t additional s	hoote.	
					, additional c	niceto.	
	2						
		NOW	E ON	proper	ety		

r							
):				10			
е							
	(e			0			
1/4	of 1/4	1/4	of 1/4	1/4	of 1/4	1/4	of 1/4
			,				
Т	N	Т	N	Т	N	Т	N
R	□E □w	R	□E □w	R	□E □w	R	□E □w
0		0				0	
0		0		0	. '	0	
mation as prac applicant may l	ctical for wells t eave the follow	hat do not have ring rows blank	e well construe	ction records at	tached to the	application, ho	wever if the
Inches	, feet	Inches,	feet	inches.	feet	Inches.	feet
							feet
					feet	Inches,	feet
		^					
111111111111111111111111111111111111111		i)					
					·		
	T R o o mation as pracapplicant may I inches inches	Inches, feet inches, feet inches, feet	T N T R □ E □ W R □ 0 □ 1 0 mation as practical for wells that do not have applicant may leave the following rows blank inches, feet inches, inches, feet inches, inches, feet inches,	T N T N T N T N T N T N T N T N T N T N	T N T N T N T N T R DE W R DE W R O CONTROL OF THE PROPERTY OF	T N T N T N T N R E WR E WR E WR O S S S S S S S S S S S S S S S S S S	T N T N T N T N T N T R DE WR

Proposed Well Information			
Enter the following information on all	proposed wells on the property, if more than two wells	s or alternate construction, submit a	dditional sheets:
Well Name Assigned by Well Owner (North Well, etc.):	Hwy D WELL		
Well Number Assigned by Owner (001, 002; etc.):	001		
Well Loc: Quarter Quarter Section or French Long Lot Number	SW 1/4 of NW 1/4 of Section	1/4 of 1/4 of	Section
or Government Lot Number			
Township & Range (Select E or W)	T 7 N,R 16 ⊠E □W	T N, R	LE LW
Latitude (Degrees and Minutes)	43 • 06.307	<u> </u>	
Longitude (Degrees and Minutes)	<u>088</u> • <u>39.319</u> •	°	
GPS Map Datum (WGS84, WTM91, etc.)			
Type of Well (Irrigation, Industrial, Residential, etc.):	Type: TREIGATION Potable Non-Potable	Туре:	Potable Non-Potable
Drilling Method(s) (Rotary, Percussion, Etc.):	mud Rotner		
Anticipated Geological Materials and D	Depths that Are Expected During Drilling:		
Material and Depth Interval:	SANCE Clay from 0' to 15 '	from	0' to '
Material and Depth Interval:	GRAVELASAND from 15 to 21.	from	' to '
Material and Depth Interval:	Limestowe from 21 to 600 "	from	' to '
Material and Depth Interval:	from ' to '	from	' to '
Material and Depth Interval:	from ' to '	from	' to '
Drillhole Diameter and Anticipated Dep	oth Intervals:		
Diameter and Depth Interval:	/4" from 0 ' to 60 '	from	' to '
Diameter and Depth Interval:	12" from 60 ' to 600 '	from	' to '
Diameter and Depth Interval:	from ' to '	from	' to '
Diameter and Wall Thickness	and Wall Thickness at Anticipated Depth Intervals:		
at Depth Interval:	12 "diam/ 375" thick 0' to 60'	" diam/ " thick '	0' to '
Diameter and Wall Thickness at Depth Interval:	" diam/ " thick ' to '	" diam/ " thick	' to '
Permanent Casing or Liner Material, I	1		
Casing Joints (Welded, T and C, etc.)	Welded		
Material and Weight at Depth Interval:	Stee 1 49 156 lbs/foot 0' to 60'	/ lbs/foot	0' to '
Material and Weight		/ lbs/foot	' to '
at Depth Interval: Screen Material, Slot Size in Inches	/ lbs/foot 'to '	7 105/1001	to
and Depth Interval or N/A if none:	NA / "/ 'to '	1 "/	' to '
Casing to Screen Joint (Welded, T and C, K Packer, etc.)	MA		
Annular Space Material Including Filte			
Material and Depth Interval:	Cement great 1 0' to 60'	1	0' to '
Material and Depth Interval:	/ ' to '		' to '
Proposed Average Water Usage Per Day in Gallons:	540.000		
Proposed Maximum Water Usage Per			
Day in Gallons: Seasonal? (April to October, Year Around, etc.):	SCASONAL	-	
Proposed Pump Type & Capacity (gpm):	Submersity 750 Gom		
Discharge Type (Over Top of Casing Seal, Pitless Adapter or Unit):	over the top of casing		
Discharge Location (Building Pressure Tank, Pond, etc.):	ARKIGATION PROPERTY		
Distance and Direction to Nearest Public Utility Well & Well Name: Distance to Other Potential Contaminant Sources:	Johnson CREEK 5/2 Miles	South west	
Distance to Other Potential Contaminant Sources:		е.	
Leave Blank, for Department use only			

Required Attachments

- Attach one of the maps described in A. or B., below. Plot the existing and proposed well locations on the map. For wells that have a Wisconsin Unique Well Number or a Permanent High Capacity Well Number, plot the well locations with one of those numbers.
 - A. Copy of a plat map with the property boundary clearly shown. If the property is contiguous with properties owned by the same owner in another township, include a copy of that township map too, showing the property boundaries. If the property owner listed on the plat map is different from the current owner, list the date or dates, that the current property owner purchased the property on the map.
 - B. Map of the property prepared by a licensed land surveyor and the property description as described by the surveyor.
- 2. Sketch map showing all of the following that are planned or exist within 300 feet of each proposed well: proposed well location; other wells; property boundary; wetlands; potential contaminant sources (septic tank and drainfield, petroleum storage tanks, sewer lines, etc.); buildings and north arrow. If no pertinent features to map within 300 feet of the proposed well, for example an irrigation well in the middle of a field, state that on the property map listed above and plot the well locations on that map.
- 3. Any well construction records available for existing wells on the property. Do not attach any well construction records for wells that are not on the property. If a Wisconsin Unique Well Number has not been assigned, write a well name or site well number on the record that correlates to the well name or number plotted on the maps.
- 4. For proposed wells with a capacity greater than 400 gallons per minute, include the performance curve or performance table that is provided by the pump manufacturer. If the pump will be a lineshaft turbine, provide a curve with the same rpm as the motor under full load and list the motor horsepower.
- 5. If more than one well is connected to a common plumbing system, also provide a schematic drawing of the system showing method of preventing backflow. This sketch must include the well discharge (pitless, over top of casing sanitary seal); the water line from the well; pressure tanks; sampling faucets; check valves; backflow preventers; air gaps; manually operated valves; water meters; pressure switches for pumps; and any other pertinent fittings. This schematic drawing must also identify which of these components are buried or above ground. If there is more than one check valve within the well casing, include in-well check valves on the schematic.
- If reconstruction of an existing well is proposed, include a diagram of the current well construction and a diagram of the proposed construction.
- If the application is for a high capacity well or wells, a \$500.00 check payable to the Department of Natural Resources, unless the application is only for continued operation after a change of ownership.

Certification and Applicant Signatures

If the application requests a variance for a well within 1,200 feet of a landfill, a well on a property with a groundwater use restriction, or any other variance to NR 812, Wis. Adm. Code, the property owner must sign the application. If the well operator will install a well on property that he or she does not own, the property owner must also sign the application. Otherwise, an agent of the owner may sign the application.

Unsigned and incomplete applications will not be approved.

By signing this form, the person signing this application certifies that to the best of his or her knowledge, all existing well installations on the property comply with ch. NR 812, Wis. Adm. Code. The person also certifies that to the best of his or her knowledge, all information in the application is accurate and correct.

A at af the Ourse
ner Agent of the Owner
Date 1-9-14 DND Private Water Systems
DNR, Private Water Systems

"Public water system" means a system for the provision to the public of piped water for human consumptions if such system has at least 15 service connections or regularly serves an average of at least 25 individuals daily at least 60 days per year. A public water system is either a community water system or a non-community water system. Such system includes: (a) Any collection, treatment, storage, and distribution facilities under control of the operator of such system and used primarily in connection with such system, and (b) Any collection or pretreatment storage facilities not under such control which are used primarily in connection with such system. [NR 812.07(80)]

"School" means a public or private educational facility in which a program of educational instruction is provided to children in any grade or grades from kindergarten through the 12th grade. Water systems serving athletic fields, school forests, environmental centers, home-based schools, day-care centers and Sunday schools are not school water systems. [NR 812.07(94)]

"Wastewater treatment plant" means any facility provided for the treatment of sanitary or industrial wastewater or both. The following types of facilities are excluded: (a) Facilities defined as private sewage systems in s. 145.01(12), Stats. (b) Pretreatment facilities from which effluent is directed to a public sewer system for treatment. (c) Industrial wastewater treatment facilities which consist solely of a land disposal system. [NR 114.03(14)]

[&]quot;High capacity well" means a well constructed on a high capacity property. [NR 812.07(51)]

[&]quot;High capacity property" means one property on which a high capacity well system exists or is to be constructed. [NR 812.07(52)]

[&]quot;High capacity well system" means one or more wells, drillholes or mine shafts used or to be used to withdraw water for any purpose on one property, if the total pumping or flowing capacity of all wells, drillholes or mine shafts on one property is 70 or more gallons per minute based on the pump curve at the lowest system pressure setting, or based on the flow rate. [NR 812.07(53)]



CONCORD T-7-N • R-16-E

Juntitude 800 N.T.Y

10

10

Le

Ye

E

Ye

Ye

e

(

(

0

•


(4

2

٤

© Farm & Home Publishers, Ltd.

See Page 70-72 For Additional Names.



SULLIVAN PAGE 18

Dunnaisen Excavating LLC. RANDY DUNNEISEN

General Grading, Excavating and Trucking Contractor

HOME & OFFICE: W8697 Island Road (920) 478-3074 • CELL: (920) 988-0372 SHOP: W8889 Highway 89

(920) 478-2544 Waterloo, Wisconsin 53594



LAKE COUNTRY ENGINEERING, INC.

* Over 40 years of experience in Southeastern Wisconsin *

Rob Davy, P.E.

Mark Powers, R.L.S.

★ Surveying ★ Residential ★ Civil Engineering ★ Commercial

(262) 569-9331 www.LCE.biz

970 S. Silver Lake St., Suite 105, Oconomowoc, WI 53066